

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.**

CLAIMS

1. A parenteral vaccine formulation comprising at least
 5 one immunogenic substance, and as an adjuvant one or more
 salts selected from salts formed with a Group 2 element
 of the Periodic Table selected from Mg, Ca, Sr, Ba and
 Ra, or a Group 4 element of the Periodic Table selected
 10 from Ti, Zr, Hf, and Rf,
 and hydrates thereof,
 with the proviso that the salt is not calcium phosphate,
 is not magnesium hydroxide in combination with aluminium
 hydroxide or aluminium oxide and is not calcium hydroxide
 15 in gel combination with zinc hydroxide, lecithin and
 polyalphaolefine.
2. A parenteral vaccine formulation according to claim 1,
 wherein the adjuvant is selected from inorganic salts.
- 20 3. A parenteral vaccine formulation according to claim 1,
 wherein the adjuvant is selected from organic salts.
- Sub A2 4. A parenteral vaccine formulation according to claims
 25 1-2, wherein the adjuvant is selected from salts formed
 with oxides, peroxides, hydroxides, carbonates,
 phosphates, pyrophosphates, hydrogenphosphates, dihydro-
 genphosphates, sulphates, and/or silicates,
 and hydrates thereof.
- 30 5. A parenteral vaccine formulation according to claims
 1-2, and 4, wherein the adjuvant is selected from salts
 formed between Mg, Ca, Ba, Ti, or Zr, and oxide,
 peroxide, hydroxide, and/or carbonate,
 35 and hydrates thereof.

09525635-000004

Sub A2

6. A parenteral vaccine formulation according to claims 1-2, and 4-5, wherein the adjuvant is selected from salts formed between

5 magnesium and oxide, peroxide, hydroxide, and/or carbonate,
calcium and oxide, peroxide, hydroxide, and/or carbonate,
barium and oxide, peroxide, hydroxide, and/or carbonate,
titanium and oxide, peroxide, hydroxide, and/or
10 carbonate, and
zirconium and oxide, peroxide, hydroxide, and/or carbonate,
and hydrates thereof.

15 7. A parenteral vaccine formulation according to claims 1-2, and 4-6, wherein the adjuvant is selected from magnesium hydroxide, magnesium carbonate hydroxide pentahydrate, titanium dioxide, calcium carbonate, barium hydroxide, barium peroxide, barium carbonate, barium
20 sulphate, beryllium oxide, calcium sulphate, calcium silicate, dicalcium silicate, tricalcium silicate, calcium pyrophosphate, calcium peroxide, calcium hydroxide, tricalcium phosphate, calcium hydrogen-phosphate, calcium dihydrogenphosphate, calcium sulphate
25 dihydrate, magnesium carbonate, magnesium oxide, magnesium dioxide, magnesium sulphate, trimagnesium phosphate, magnesium silicate, dimagnesium trisilicate, magnesium trisilicate, titanium disulphate, zirconium dioxide, zirconium hydroxide, zirconium sulphate,
30 strontium peroxide, and strontium carbonate.

8. A parenteral vaccine formulation according to claims 1-2, and 4-7, wherein the adjuvant is selected from magnesium hydroxide, magnesium carbonate hydroxide
35 pentahydrate, and titanium dioxide.

0092535-000001

Sub A2 9. A parenteral vaccine formulation according to claims 1-8 further comprising an additional adjuvant.

5 10. A parenteral vaccine formulation according to claim 9, wherein the additional adjuvant is selected from saponins such as Quil A and Qs-21, MF59, MPL, PLG, PLGA, calcium phosphate, and aluminium salts.

Sub A3 103 11. A parenteral vaccine formulation according to claims 1-10 further comprising pharmaceutically acceptable excipients and/or carriers.

15 12. A parenteral vaccine formulation according to claims 1-11 further comprising diluents, buffers, suspending agents, solubilising agents, pH-adjusting agents, dispersing agents, and/or colorants.

20 13. A parenteral vaccine formulation according to claims 1-12 for intravenous, intramuscular, intraarticular, subcutaneous, intradermal, epicutaneous, and intra-peritoneal administration.

25 14. A parenteral vaccine formulation according to claims 1-13, wherein the cation of the adjuvant is present in an amount of from about 0.0004 to about 120 M, such as from about 0.004 to about 12 M.

30 15. A parenteral vaccine formulation according to claim 14, wherein the cation of the adjuvant is present in an amount of from about 0.008 to about 6 M.

Sub A4 16. A parenteral vaccine formulation according to claims 1-15, wherein the adjuvant is magnesium hydroxide.

Sub A

17. A parenteral vaccine formulation according to claims 1-15, wherein the adjuvant is magnesium carbonate hydroxide pentahydrate.
- 5 18. A parenteral vaccine formulation according to claims 1-15, wherein the adjuvant is titanium dioxide.
19. A parenteral vaccine formulation according to claims 1-15, wherein the adjuvant is a combination of magnesium
- 10 hydroxide and magnesium carbonate hydroxide pentahydrate, magnesium hydroxide and titanium dioxide, magnesium carbonate hydroxide pentahydrate and titanium dioxide, or magnesium hydroxide, magnesium carbonate hydroxide pentahydrate, and titanium dioxide.
- 15 20. A parenteral vaccine formulation according to claims 16-19 further comprising an additional adjuvant selected from saponins such as Quil A and Qs-21, MF59, MPL, PLG, PLGA, calcium phosphate, and aluminium salts.
- 20 21. An adjuvant composition for parenteral use comprising one or more salts selected from salts formed with a Group 2 element of the Periodic Table selected from Mg, Ca, Sr, Ba and Ra, or a Group 4 element of the Periodic Table
- 25 selected from Ti, Zr, Hf, and Rf, and hydrates thereof, with the proviso that the salt is not calcium phosphate, is not magnesium hydroxide in combination with aluminium hydroxide or aluminium oxide and is not calcium hydroxide
- 30 in gel combination with zinc hydroxide, lecithin and polyalphaolefine.
22. An adjuvant composition according to claim 21, wherein the salt is selected from inorganic salts.

Sub A5

10

15

20

25

27. An adjuvant composition according to claims 21-22,
and 24-26, wherein the salt is selected from magnesium
hydroxide, magnesium carbonate hydroxide pentahydrate,
titanium dioxide, calcium carbonate, barium hydroxide,
35 barium peroxide, barium carbonate, barium sulphate,

35

Sub A5

beryllium oxide, calcium sulphate, calcium silicate,
 dicalcium silicate, tricalcium silicate, calcium
 pyrophosphate, calcium peroxide, calcium hydroxide,
 tricalcium phosphate, calcium hydrogenphosphate, calcium
 5 dihydrogenphosphate, calcium sulphate dihydrate,
 magnesium carbonate, magnesium oxide, magnesium dioxide,
 magnesium sulphate, trimagnesium phosphate, magnesium
 silicate, dimagnesium trisilicate, magnesium trisilicate,
 titanium disulphate, zirconium dioxide, zirconium
 10 hydroxide, zirconium sulphate, strontium peroxide, and
 strontium carbonate.

28. An adjuvant composition according to claims 21-22,
 and 24-27, wherein the salt is selected from magnesium
 15 hydroxide, magnesium carbonate hydroxide pentahydrate,
 and titanium dioxide.

29. An adjuvant composition according to claims 21-28
 further comprising an additional adjuvant.

20

30. An adjuvant composition according to claim 29,
 wherein the additional adjuvant is selected from saponins
 such as Quil A and Qs-21, MF59, MPL, PLG, PLGA, calcium
 phosphate, and aluminium salts.

25

Sub A6

31. An adjuvant composition according to claims 21-30
 further comprising pharmaceutically acceptable excipients
 and/or carriers.

30

32. An adjuvant composition according to claims 21-31
 further comprising diluents, buffers, suspending agents,
 solubilising agents, pH-adjusting agents, dispersing
 agents, and/or colorants.

T06030.0292660

Sub A 33. An adjuvant composition according to claims 21-32,
wherein the cation of the salt is present in an amount of
from about 0.0004 to about 120 M, such as from about
0.004 to about 12 M.

5

34. An adjuvant composition according to claim 33,
wherein the cation of the salt is present in an amount of
from about 0.008 to about 6 M.

Sub A 10 35. An adjuvant composition according to claims 21-34,
wherein the salt is magnesium hydroxide.

36. An adjuvant composition according to claims 21-34,
wherein the salt is magnesium carbonate hydroxide
pentahydrate.

15

37. An adjuvant composition according to claims 21-34,
wherein the salt is titanium dioxide.

20 38. An adjuvant composition according to claims 21-34,
wherein the salt is a combination of magnesium hydroxide
and magnesium carbonate hydroxide pentahydrate, magnesium
hydroxide and titanium dioxide, magnesium carbonate
hydroxide pentahydrate and titanium dioxide, or magnesium
25 hydroxide, magnesium carbonate hydroxide pentahydrate,
and titanium dioxide.

39. An adjuvant composition according to claims 35-38
further comprising an additional adjuvant selected from
30 saponins such as Quil A and Qs-21, MF59, MPL, PLG, PLGA,
calcium phosphate, and aluminium salts.

40. An adjuvant comprising one or more salts selected
from salts formed with a Group 2 element of the Periodic
35 Table selected from Mg, Ca, Sr, Ba and Ra, or a Group 4

10525635-080901

element of the Periodic Table selected from Ti, Zr, Hf, and Rf,

and hydrates thereof,

with the proviso that the salt is not calcium phosphate,
 5 is not magnesium hydroxide in combination with aluminium hydroxide or aluminium oxide and is not calcium hydroxide in gel combination with zinc hydroxide, lecithin and polyalphaolefine.

10 41. An adjuvant according to claim 40, wherein the salt is selected from inorganic salts.

42. An adjuvant according to claims 40, wherein the salt is selected from organic salts.

15
Sub A 8 43. An adjuvant according to claims 40-41, wherein the salt is selected from salts formed with oxides, peroxides, hydroxides, carbonates, phosphates, pyrophosphates, hydrogenphosphates, dihydrogenphosphates,
 20 sulphates, and/or silicates, and hydrates thereof.

44. An adjuvant according to claims 40-41, and 43, wherein the salt is selected from salts formed between
 25 Mg, Ca, Ba, Ti or Zr, and oxide, peroxide, hydroxide, and/or carbonate, and hydrates thereof.

45. An adjuvant according to claims 40-41, and 43-44 wherein the salt is selected from salts formed between
 30

magnesium and oxide, peroxide, hydroxide, and/or carbonate,
 calcium and oxide, peroxide, hydroxide, and/or carbonate,
 barium and oxide, peroxide, hydroxide, and/or carbonate,

09525635-080901

Sub A8 titanium and oxide, peroxide, hydroxide, and/or
carbonate, and
zirconium and oxide, peroxide, hydroxide, and/or
carbonate,
5 and hydrates thereof.

46. An adjuvant according to claims 40-41, and 43-45
wherein the salt is selected from magnesium hydroxide,
magnesium carbonate hydroxide pentahydrate, titanium
10 dioxide, calcium carbonate, barium hydroxide, barium
peroxide, barium carbonate, barium sulphate, calcium
sulphate, tricalcium silicate, calcium pyrophosphate,
calcium peroxide, calcium hydroxide, tricalcium
phosphate, calcium hydrogenphosphate, calcium
15 dihydrogenphosphate, calcium sulphate dihydrate,
magnesium carbonate, magnesium sulphate, trimagnesium
phosphate, magnesium silicate, magnesium trisilicate,
titanium disulphate, zirconium sulphate, strontium
peroxide, and strontium carbonate.

20 47. An adjuvant according to claims 40-41, and 43-46,
wherein the salt is selected from magnesium hydroxide,
magnesium carbonate hydroxide pentahydrate, and titanium
dioxide, or the salt is selected from a combination of
25 magnesium hydroxide and magnesium carbonate hydroxide
pentahydrate, magnesium hydroxide and titanium dioxide,
magnesium carbonate hydroxide pentahydrate and titanium
dioxide, or magnesium hydroxide, magnesium carbonate
hydroxide pentahydrate, and titanium dioxide.

30 48. Use of an adjuvant according to claims 40-47 or an
adjuvant composition according to claims 21-39 as a
component of a parenteral vaccine formulation.

09925635-000001

53. Use according to claims 49-51, wherein the salt is selected from salts formed with oxides, peroxides, hydroxides, carbonates, phosphates, pyrophosphates,

Sub A9

10

15

20

25

30

35

~~Sub 9~~ pharmaceutically acceptable carriers and/or excipients,
thereby obtaining the parenteral vaccine formulation.

61. Parenteral vaccine formulation obtainable by the
5 process according to claim 60.

~~Add #10~~

09925635.080904